### Product Name: BLATTATHOR™ Gel Cockroach Bait

Page: 1 of 5

This version issued: February, 2016

# Section 1 - Identification of The Material and Supplier

Ensystex Australasia Pty Ltd Unit 3, The Junction Estate AUBURN, NSW 2144 13 35 36 (all hours) Ensystex New Zealand Ltd 17C Corinthian Drive Albany, Auckland 0752 0800 ENSYSTEX (0800 367 978)

Chemical nature:

Abamectin based gel

APVMA Code:

59568

**Trade Name:** 

**BLATTATHOR™** Gel Cockroach Bait

Product Use:

Insecticidal cockroach bait for use as described on the registered product label,

**Creation Date:** 

June, 2014

This version issued:

February 2016 and is valid for 5 years from this date.

### Section 2 - Hazards Identification

#### Statement of Hazardous Nature

This product is classified as: N, Dangerous to the environment. Not classified as hazardous according to the criteria of SWA. Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code, IATA or IMSBC criteria.

Risk Phrases: None

Safety Phrases: S61, S24/25. Avoid release to the environment. Refer to special instructions/Safety Data Sheets.

Avoid contact with skin and eyes.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG)

Code, IATA or IMSBC criteria. **UN Number:** none allocated

# GHS Signal word: NONE. Not hazardous.

#### **HEALTH HAZARD**

H302 Harmful if swallowed

H313 May be harmful in contact with skin

### **PREVENTION**

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

#### RESPONSE

P352: Wash with plenty of soap and water.

P303+361+353: IF ON SKIN: Remove all contaminated clothing. Rinse skin with water.

P301+P330+P331+312: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE or doctor if you feel unwell.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

#### **STORAGE**

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

#### **DISPOSAL**

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

#### **Emergency Overview**

Physical Description & colour: Clear gel.

Odour: Negligible odour.

Major Health Hazards: No significant risk factors have been found for this product.

™ Trademark of Ensystex, Inc. used under licence by Ensystex Australasia Pty Ltd and Ensystex New Zealand Ltd.

#### **SAFETY DATA SHEET**

Issued by: Ensystex Australasia Pty Ltd

Phone: 13 35 36 (ALL HOURS)

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

# Product Name: BLATTATHOR™ Gel Cockroach Bait

Page: 2 of 5

This version issued: February, 2016

#### **Potential Health Effects**

#### Inhalation:

Short term exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term exposure: No data for health effects associated with long term inhalation.

**Skin Contact:** 

Short term exposure: Product may be harmful. May cause mild transient discomfort in sensitive persons.

Long Term exposure: No data for health effects associated with long term skin exposure.

**Eye Contact:** 

**Short term exposure:** This product may cause transient discomfort.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: This product may be harmful if swallowed...

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

# Section 3 - Composition/Information on Ingredients

Ingredients				) STEL (mg/m³)
Abamectin	71751-41-2	0.05% (0.5 g	/kg) not set	not set
Other non hazardous ingredients		to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

# Section 4 - First Aid Measures

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First Aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. **Skin Contact:** Irritation is unlikely. If irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until product is removed.

**Eye Contact:** Quickly and gently brush product from eyes. No ill effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

### Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards**: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Not combustible. Use extinguishing media suited to burning materials.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade,

Flash point: Does not burn.

Upper Flammability Limit:Does not burn.Lower Flammability Limit:Does not burn.Autoignition temperature:Not applicable - does not burn.Flammability Class:Does not burn.

#### SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd Phone: 13 35 36 (ALL HOURS)

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)