

DITRAC[®]ALL-WEATHER BLOX RODENTICIDE

SAFETY DATA SHEET

ACCORDING TO REGULATION: Section 274 of the Work Health and Safety Act

DATE OF ISSUE: December 2016

PREPARED BY: CAR

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: DITRAC® ALL-WEATHER BLOX RODENTICIDE

Australian Registration Number: 49867

Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: Anticoagulant Rodenticide - Ready to use

Uses advised against: Use only for the purpose described above

MANUFACTURER:

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704, USA email: registration@belllabs.com IMPORTER: Bell Australia Pty Ltd. Level 18 King George Central 145 Ann Street Brisbane, QLD 4000 **EMERGENCY PHONE NUMBERS:** Poisonings: 131 126 POISON INFORMATION CENTRE Others: (02) 9647-2111

SECTION 2. HAZARDS IDENTIFICATION

THIS PRODUCT IS CLASSIFIED AS: NOT HAZARDOUS ACCORDING TO THE CRITERIA OF SWA. NOT A DANGEROUS GOOD ACCORDING TO AUSTRALIAN DANGEROUS GOODS (ADG) CODE, IATA OR IMDG/IMSBC CRITERIA.

SUSMP Classification: S6

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

UN Number: None allocated



GHS Signal word: WARNING

HAZARD STATEMENT:

H373: May cause damage to organs through prolonged or repeated exposure.

PREVENTION

P102: Keep out of reach of children.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

RESPONSE

P313: Get medical attention/advice

P321: Treatment with Vitamin K, which is antidotal, is almost always successful

P337: If eye irritation persists: seek medical attention

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Major Health Hazards: Ingestion of Brodifacoum is initially asymptomatic, and may continue as such even with prolonged alterations in prothrombin time. No gastrointestinal tract or other symptom occurs. Coagulation disturbances may become evident a few days after ingestion, and may be detected only by laboratory studies. In severe poisoning, gum-bleeding, epistaxis, petechiae, ecchymoses, haematomata, blood in urine and faeces, and genital haemorrhage may occur. Internal bleeding and cerebral haemorrhage may complicate the patient's prognosis. This product is a cumulative poison. Minor exposures over a period of time may lead to serious health problems.

Trade Name: Ditrac All Weather Blox Rodenticide Australia Supplier: Bell Laboratories, Inc.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS		
Component	CAS No.	% By weight
Brodifacoum [3-[3-(4'-Bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one]	56073-10-0	0.005%
Inert and Non-Hazardous Ingredients (Unlisted components are non-hazardous)	Proprietary	99.995%

SECTION 4. FIRST AID MEASURES

Description of first aid measures

Ingestion: Call physician or emergency number immediately. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed by physician.

Inhalation: Not applicable.

Eye contact: Hold eye open and rinse slowly with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation develops, obtain medical assistance.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. If irritation develops, obtain medical assistance.

Most important symptoms and effects, both acute and delayed

Ingestion of excessive quantities may cause nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding.

Advice to physician: If ingested, administer Vitamin K_1 intramuscularly or orally as indicated for bishydroxycoumarin overdoses. Repeat as necessary as based upon monitoring of prothrombin times.

Advice to Veterinarian: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K_1 . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media: water, foam or inert gas.

Unsuitable Extinguishing Media: None known.

Special hazards arising from the mixture: High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide and traces of bromine and hydrogen bromide.

Advice for firefighters: Wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Gloves should be worn when handling the bait. Collect spillage without creating dust.

Environmental precautions: Do not allow bait to enter drains or water courses. Where there is contamination of streams, rivers or lakes contact the appropriate environment agency.

Methods and materials for containment and cleaning up

For Containment: Sweep up spilled material immediately. Place in properly labeled container for disposal or re-use.

For Cleaning Up: Wash contaminated surfaces with detergent. Dispose of all wastes in accordance with all local, regional and national regulations.

Reference to other sections: Refer to Sections 7, 8 & 13 for further details of personal precautions, personal protective equipment and disposal considerations.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: Do not handle the product near food, animal foodstuffs or drinking water. Keep out of reach of children. Do not use near heat sources, open flame, or hot surfaces. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Conditions for safe storage, including any incompatibilities: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.