

Maxforce® Gold Gel Insecticide

Version 1 / AUS 102000020956

1/9 Revision Date: 26.10.2016 Print Date: 26.10.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| 1.1 Product identifier | | | |
|---|---|--|--|
| Trade name | Maxforce® Gold Gel Insecticide | | |
| Product code (UVP) | 79509820 | | |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against | | | |
| Use | Insecticide | | |
| 1.3 Details of the supplier of the safety data sheet | | | |
| Supplier | Bayer Cropscience Pty Ltd ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East Victoria Australia | | |
| Telephone | (03) 9248 6888 | | |
| Telefax | (03) 9248 6800 | | |
| Responsible Department | 1800 804 479 Technical Information Service | | |
| Website | www.environmentalscience.bayer.com.au | | |
| 1.4 Emergency telephone no. | | | |
| Emergency telephone no. | 1800 033 111 IXOM Operations Pty Ltd | | |

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Chronic aquatic toxicity: Category 3

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Fipronil

Signal word: Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

| P280 | Wear protective gloves. |
|-------------|---|
| P302 + P352 | IF ON SKIN: Wash with plenty of water/ soap. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. |
| P363 | Wash contaminated clothing before reuse. |



Maxforce® Gold Gel Insecticide

Version 1 / AUS 102000020956

2/9 Revision Date: 26.10.2016 Print Date: 26.10.2016

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Fipronil 0,03% Chemical nature

Bait (ready for use) (RB)

| Chemical Name | CAS-No. | Concentration [%] |
|---|-------------|-------------------|
| Fipronil | 120068-37-3 | 0.03 |
| 1,2-Benzisothiazol-3(2H)-one | 2634-33-5 | > 0.05 - < 5.00 |
| Mixture of: 5-chloro-2-methyl-4-isothiazolin- | 55965-84-9 | > 0.0015 - < 0.06 |
| 3-one and 2-methyl-4-isothiazolin-3-one | | |
| Other ingredients (non-hazardous) to 100% | | |

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

| General advice | Move out of dangerous area. When symptoms develop and persist, seek medical advice. | |
|--|--|--|
| Skin contact | Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. | |
| Eye contact | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. | |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. | |
| 4.2 Most important symptoms and effects, both acute and delayed | | |
| Symptoms | The following symptoms may occur:, Restlessness, Anxiety, Tremors | |
| 4.3 Indication of any immediate medical attention and special treatment needed | | |
| Treatment | Treat symptomatically. There is no specific antidote. Carefully monitor the respiratory functions. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Oxygen or artificial respiration if needed. Keep respiratory tract clear. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Symptoms of poisoning may appear several hours later. Keep under medical supervision for at least 48 hours. | |