

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** SAS PRO® PROFESSIONAL GRANULE ANT KILLER

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:**  
Spreadable silica granule for exterior control of ants

**Details of Manufacturer or Importer:**

Sundew Solutions Pty Ltd  
Unit 11, 4 Dunlop Court  
Bayswater VIC 3153

**Phone Number:** 1800 786 339

**Emergency telephone number:** 1800 786 339

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Signal Word** Void

**Hazard Statements**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

14808-60-7	Quartz (SiO <sub>2</sub> )	99.5%
120068-37-3	Fipronil (ISO) ☠ Acute Toxicity (Oral) 3, H301; Acute Toxicity (Dermal) 3, H311; Acute Toxicity (Inhalation) 3, H331; ⚠ STOT RE 1, H372; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.025%

## 4 . FIRST AID MEASURES

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Do not give mouth-to-mouth if substance has been inhaled or ingested. Instead, use a pocket mask or proper respiratory device. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 20 minutes. Seek medical attention if symptoms occur.

(Contd. on page 2)

**SAFETY DATA SHEET**

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: SAS PRO® PROFESSIONAL GRANULE ANT KILLER**

(Contd. of page 1)

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Symptoms Caused by Exposure:**

Eye Contact: May cause eye irritation.

Ingestion: May be harmful if swallowed. Symptoms include headache, nausea, dizziness and weakness. Ingestion of large quantities of the concentrate may result in convulsions.

**5 . FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** Water spray or fog, foam, dry chemical or carbon dioxide.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include toxic fumes.

Product is not flammable, but may form explosive dust clouds in some situations.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

**6 . ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and cover with a plastic sheet to prevent spreading. Sweep and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

**7 . HANDLING AND STORAGE****Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Recommended storage temperature is 0 °C - 30 °C. Keep away from strong acids and bases.

**8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION****Exposure Standards:**

**14808-60-7 Quartz (SiO<sub>2</sub>)**

WES	TWA: 0.1 mg/m <sup>3</sup> respirable dust
-----	---

**Engineering Controls:** Ensure adequate ventilation of the working area.

(Contd. on page 3)

**SAFETY DATA SHEET**

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: SAS PRO® PROFESSIONAL GRANULE ANT KILLER**

(Contd. of page 2)

**Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Impervious nitrile rubber or PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

**9 . PHYSICAL AND CHEMICAL PROPERTIES****Appearance:**

<b>Form:</b>	Granules
<b>Colour:</b>	Tan to light brown
<b>Odour:</b>	Odourless
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	Not applicable.
<b>Melting point/Melting range:</b>	Not determined
<b>Initial Boiling Point/Boiling Range:</b>	Not determined
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	Not determined
<b>Decomposition Temperature:</b>	Not determined
<b>Explosion Limits:</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Vapour Pressure:</b>	Not applicable
<b>Density:</b>	1.4-1.6 g/cm <sup>3</sup>
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	Not determined
<b>Solubility in Water:</b>	Insoluble
<b>Partition Coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	Not applicable

**10 . STABILITY AND REACTIVITY**

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** No further relevant information available.

**Incompatible Materials:** Strong acids and bases.

**Hazardous Decomposition Products:** May emit toxic fumes.

(Contd. on page 4)

**SAFETY DATA SHEET**

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: SAS PRO® PROFESSIONAL GRANULE ANT KILLER**

(Contd. of page 3)

**11 . TOXICOLOGICAL INFORMATION****Toxicity:****LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:** No information available**Acute Health Effects****Inhalation:** Not expected to be a hazard.**Skin:** Not expected to be a hazard.**Eye:** May cause eye irritation.**Ingestion:**

May be harmful if swallowed. Symptoms include headache, nausea, dizziness and weakness. Ingestion of large quantities of the concentrate may result in convulsions.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Silica dust, crystalline, in the form of quartz or cristobalite is classified by IARC as Group 1 - Carcinogenic to humans.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Causes damage to organs through prolonged or repeated exposure.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

The prolonged and repeated exposure (by inhalation) to respirable (crystalline) silica cause silicosis, a debilitating lung disease. The crystalline silica dust is practically insoluble in body fluids and can be deposited in lungs. Cigarette smoking can reduce the clearance of crystalline silica. The data indicate that the relative lung cancer risk is increased for people with silicosis.

**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for fipronil for a human is 0.0002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.02 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', March 2016).

**12 . ECOLOGICAL INFORMATION****Ecotoxicity:** Fipronil is highly toxic to honey bees and non-toxic to earthworms.**Aquatic toxicity:**

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**Persistence and Degradability:** No information available**Bioaccumulative Potential:** No information available**Mobility in Soil:** No information available

(Contd. on page 5)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: SAS PRO® PROFESSIONAL GRANULE ANT KILLER**

(Contd. of page 4)

**Other adverse effects:** No information available

## 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 . TRANSPORT INFORMATION

**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

## 15 . REGULATORY INFORMATION

**Australian Inventory of Chemical Substances:**14808-60-7 Quartz (SiO<sub>2</sub>)

120068-37-3 Fipronil (ISO)

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Not Scheduled.

## 16 . OTHER INFORMATION

**Date of Preparation or Last Revision:** 03.12.2016**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percentLD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.