

# Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 20.06.2016

Version: 3.1

Product: **STORM® SECURE WAX BLOCK RODENTICIDE**

(30492742/SDS\_GEN\_AU/EN)

Date of print 03.02.2017

## 1. Substance/preparation and manufacturer/supplier identification

### **STORM® SECURE WAX BLOCK RODENTICIDE**

Use: rodenticide, biocide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

Precautionary Statement:

If medical advice is needed, have product container or label at hand. Keep out of reach of children.

Precautionary Statements (Prevention):

Wear protective gloves. Do not eat, drink or smoke when using this product. Avoid release to the environment.

The product does not require a hazard warning label in accordance with GHS criteria.

BASF Safety data sheet  
Date / Revised: 20.06.2016  
Product: **STORM® SECURE WAX BLOCK RODENTICIDE**

Version: 3.1

(30492742/SDS\_GEN\_AU/EN)

Date of print 03.02.2017

Other hazards which do not result in classification:  
See section 12 - Results of PBT and vPvB assessment.  
This product is hazardous to mammals, including domesticated animals, and birds. Exposure of non-target animals should be prevented.

---

### 3. Composition/information on ingredients

#### Chemical nature

rodenticide, Bait, biocide

Contains: Flocoumafen (Content (W/W): 0.005 %)

---

### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Note to physician:

Symptoms: coagulation disorders

Increased tendency to bleed.

In severe cases, massive bleeding from internal organs may result in circulatory shock, which could prove fatal.

The onset of symptoms is delayed for up to 4 days after uptake.

Hazards: The substance / product is an anticoagulant rodenticide with a coumarin-type mode of action.

Treatment: Symptomatic treatment (decontamination, vital functions).

---

### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

carbon monoxide, hydrogen fluoride, carbon dioxide, nitrogen oxides, toxic gas

The substances/groups of substances mentioned can be released in case of fire.